



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Kolkata Branch Office

Address 1/14 CIT Scheme VII, VIP Road,
: Kankurgachi
Kolkata-700054
Phones : 033-23208662, 23378626
Fax: 033-23207459
E-Mail: kkbo@bis.gov.in
web : http://www.bis.org.in

SPEED POST

Our Ref : KKBO/L- 5100135070

Dated : 29.4.19

Subject : **BIS CERTIFICATION MARKS LICENCE NO. CM/L- 5100135070**

**M/s Tirupati Teleplast Pvt. Ltd
VILLAGE -AJABNAGAR,
PO-MOLLASIMLA,
P.S. SINGUR, HOOGHLY,
WEST BENGAL-712223.**

Dear Sir,

We are forwarding herewith endorsement sheet with respect to the following :

a) Renewal

Kindly acknowledge the receipt.

Thanking you.

Yours faithfully,

Ishika
(I. Dalal)

Scientist - C

Encl : As above



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Address : 1/14 CIT Scheme VII, VIP Road,
Kankurgachi
Kolkata
700054

Phones : 033-23208662, 23378626

EASTERN REGIONAL OFFICE

Kolkata Branch Office

Fax : 033-23207459

E-mail : kkbo@bis.gov.in

Web : <http://www.bis.org.in>

Attachment to Licence No. CM/L-5100135070

CM/L-	Name of the Licensee with the FactoryAddress	Name of the Product	Indian Standard No.
5100135070	TIRUPATI TELEPLAST PVT. LTD VILLAGE -AJABNAGAR, PO-MOLLASIMLA, P.S. SINGUR, HOOGHLY, WEST BENGAL-712223.	POLYETHYLENE PIPES FOR WATER SUPPLIES	IS 4984:2016

Endorsement No. — 1 Dated: 29.03.2019

Whereas, the licence was valid upto **26.03.2019**.

Now, consequent upon renewal, the validity of the licence given in schedule of the Original Licence has been extended from **26.03.2019** to **26.03.2020**.

Other conditions of licence remain the same.

(A. Chatterjee)
Scientist E & Head